

WEST Search History

DATE: Tuesday, November 18, 2003

Set Name Query
side by side

Hit Count Set Name
result set

DB=USPT; PLUR=YES; OP=ADJ

L24	l21 and L23	1	L24
L23	interface	401078	L23
L22	interface	401078	L22
L21	l12 and L20	1	L21
L20	receiver	212981	L20
L19	l12 and L16	0	L19
L18	l11 and L16	0	L18
L17	l11 same L16	0	L17
L16	(user or operator or client) near2 interface	52015	L16
L15	l2 and l10	0	L15
L14	l12 and L13	0	L14
L13	receiver with (user or operator or client) near2 interface	1261	L13
L12	l4 and L10	9	L12
L11	l4 same L10	4	L11
L10	(graphics near2 controller or agp)	4911	L10
L9	l1 and L8	1	L9
L8	transmitter near2 card	324	L8
L7	exten\$5 near2 transmitter near2 card	2	L7
L6	l1 and L4	2	L6
L5	l2 and L4	0	L5
L4	(motherboard or daughterboard) with L3	165	L4
L3	(first or second) near2 connector	37714	L3
L2	L1.ab.	8	L2
L1	(kvm or keyboard adj1 video adj1 mouse)	82	L1

END OF SEARCH HISTORY

<u>L42</u>	l13 and L37	12	<u>L42</u>
<u>L41</u>	l20 and L40	21	<u>L41</u>
<u>L40</u>	l16 and L37	22	<u>L40</u>
<u>L39</u>	l10 and L37	0	<u>L39</u>
<u>L38</u>	l10 same L37	0	<u>L38</u>
<u>L37</u>	l30 with L35	616	<u>L37</u>
<u>L36</u>	l8 with L35	0	<u>L36</u>
<u>L35</u>	(printed circuit board)	73247	<u>L35</u>
<u>L34</u>	l4 and L30	2	<u>L34</u>
<u>L33</u>	l4 same L30	0	<u>L33</u>
<u>L32</u>	l21 and L30	0	<u>L32</u>
<u>L31</u>	l24 and L30	0	<u>L31</u>
<u>L30</u>	transmitter	122573	<u>L30</u>
<u>L29</u>	l1 and l10	0	<u>L29</u>
<u>L28</u>	l1 same l10	0	<u>L28</u>
<u>L27</u>	transmitter near5 l10	5	<u>L27</u>
<u>L26</u>	l8 same l10	0	<u>L26</u>
<u>L25</u>	l8 with l10	0	<u>L25</u>
<u>L24</u>	l21 and L23	1	<u>L24</u>
<u>L23</u>	interface	401078	<u>L23</u>
<u>L22</u>	interface	401078	<u>L22</u>
<u>L21</u>	l12 and L20	1	<u>L21</u>
<u>L20</u>	receiver	212981	<u>L20</u>
<u>L19</u>	l12 and L16	0	<u>L19</u>
<u>L18</u>	l11 and L16	0	<u>L18</u>
<u>L17</u>	l11 same L16	0	<u>L17</u>
<u>L16</u>	(user or operator or client) near2 interface	52015	<u>L16</u>
<u>L15</u>	l2 and l10	0	<u>L15</u>
<u>L14</u>	l12 and L13	0	<u>L14</u>
<u>L13</u>	receiver with (user or operator or client) near2 interface	1261	<u>L13</u>
<u>L12</u>	l4 and L10	9	<u>L12</u>
<u>L11</u>	l4 same L10	4	<u>L11</u>
<u>L10</u>	(graphics near2 controller or agp)	4911	<u>L10</u>
<u>L9</u>	l1 and L8	1	<u>L9</u>
<u>L8</u>	transmitter near2 card	324	<u>L8</u>
<u>L7</u>	exten\$5 near2 transmitter near2 card	2	<u>L7</u>
<u>L6</u>	l1 and L4	2	<u>L6</u>
<u>L5</u>	l2 and L4	0	<u>L5</u>

L4 (motherboard or daughterboard) with L3
L3 (first or second) near2 connector
L2 L1.ab.
L1 (kvm or keyboard adj1 video adj1 mouse)

165 L4
37714 L3
8 L2
82 L1

END OF SEARCH HISTORY